

綠色點子創意開發有限公司

地址：台南市永康區尚頂路 180 號 E 棟

電話：06-2539206

設備名稱： 延長用電源線組 Equipment name (附加USB充電座)		型號 (型式)： K-109P65LC(15A) Type designation (Type) 及附件所列型號詳見次頁				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛Lead (Pb)	汞 Mercury (Hg)	鎘Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺ 6)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominatedd iphenyl ethers (PBDE)
塑膠外殼	○	○	○	○	○	○
銅件	○	○	○	○	○	○
內架	○	○	○	○	○	○
自動過載斷電開關	○	○	○	○	○	○
開關	○	○	○	○	○	○
螺絲	○	○	○	○	○	○
PCB板	○	○	○	○	○	○
突波吸收器	○	○	○	○	○	○
LED燈	○	○	○	○	○	○
陶瓷片	○	○	○	○	○	○
USB基板	○	○	○	○	○	○
插頭	○	○	○	○	○	○
電源線	○	○	○	○	○	○
備考1. “超出0.1 wt %” 及 “超出0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substanceexceeds the reference percentage value of presence condition.						
備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “o” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.						
備考3. “—” 係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

型號：

K-109P65LC、K-109P65L、K-109P65NC、K-109P65N、K-109P65ALC、
K-109P65AL、K-109P65ANC、K-109P65AN

K-202P65LC、K-202P65L、K-202P65NC、K-202P65N、K-202P65ALC、
K-202P65AL、K-202P65ANC、OMNIA G65、K-202P65AN

K-105P65LC、K-105P65L、K-105P65NC、K-105P65N、K-105P65ALC、
K-105P65AL、K-105P65ANC、K-105P65AN

C-67P65LCR、C-67P65LR、C-67P65NCR、C-67P65NR、C-67P65LC、
C-67P65L、C-67P65NC、C-67P65N、C-67P65ALCR、C-67P65ALR、

C-67P65ANCR、C-67P65ANR、C-67P65ALC、C-67P65AL、C-67P65ANC、
C-67P65AN

C-68P65L、C-68P65N、C-68P65AL、C-68P65AN

C-93P65LCR、C-93P65LR、C-93P65NCR、C-93P65NR、C-93P65LC、C-93P65L、
C-93P65NC、C-93P65N、C-93P65ALCR、C-93P65ALR、C-93P65ANCR、
C-93P65ANR、C-93P65ALC、C-93P65AL、C-93P65ANC、C-93P65AN

C-95P65AL、C-95P65AN、[C-95P65WA](#)

